

TS-LFP160AHA 182 x 279 x 71 - 106, 160 Ah TS-LFP200AHA 360.6 x 256.4 x 55.5 - 210, 200 Ah  
TS-LFP260AHA 360.6 x 283 x 55.5 - 210, 260 Ah TS-LFP300AHA 363 x 305.7 x 55.5 - 210, 300 Ah  
TS-LFP400AHA 449 x 282 x 70 - 240, 400 Ah TS-LFP800AHA 850 x 288 x 71, 800 Ah Wyon AG: China  
Xiamen CHL New Energy Co ...

ThunderSky Winston LIFEP04 160Ah WIDE Datasheet - Free download as PDF File (.pdf), Text File (.txt) or read online for free. The document provides technical specifications for the Winston LFP160AHA WIDE cell, including its nominal voltage of 3.2V, capacity of 160AH, operating voltage range of 4.0V to 2.8V, deep discharge and maximum charge voltages of 2.5V and ...

W S&#247;(MODEL)&#255; TS-LFP160AHA W S&#247;(MODEL)&#255; TS-LFP160AHA  
5.6kg&#177;100g 209mm 2 8 0 m m 2 7 6 m m 65mm 6 5 m m 102mm 3000Times 5000Times 45 3CA  
20CA 0.5CA &quot;d200! ...

Winston LFP160AHA TALL cell Specifications Model name LFP160AHA TALL Alternative product mark  
TS-LFP160AHA, WB-LYP160AHA(A) Nominal voltage 3.3 V Operating voltage under load is 3.0 V  
Capacity 160 AH +/- 5% Operating voltage max 4.0V - min 2.8V At 80% DOD Deep discharge voltage 2.5 V  
The cells is damaged if voltage drops bellow this level

LFP160AHA TALL cell specification Model name LFP160AHA TALL Alternative product mark  
TS-LFP160AHA, WB-LYP160AHA(A) Nominal voltage 3.2 V Operating voltage under load is 3.0 V

The document provides technical specifications for the Winston LFP160AHA WIDE cell, including its nominal voltage of 3.2V, capacity of 160AH, operating voltage range of 4.0V to 2.8V, deep discharge and maximum charge voltages ...

Bezeichnung: LYP160AHA. Alternative Produktkennzeichnung TS-LFP160AHA, TS-LYP160AHA. Normal  
Spannung: 3.2 V: Unterspannung bei 2.8V: Kapazit&#228;t: 160AH

MODEL NO:TS-LYP160AHA-B Nominal Capacity:160AH Operating Voltage:2.8V~3.8V  
Weight:5.6kg&#177;100g Dimensions:209&#215;65&#215;278mm. Get the high quality LiFePO4 batteries  
from our assorted range of products. The highly protected batteries exhibit superior performance with an  
extended battery life. We offer extensive warranties on each of our ...

MODEL:TSWB-LYP160AHA-A Nominal Capacity: 160AH Operating Voltage: 2.8V~4.0V  
Weight:5.6kg&#177;200g Dimensions:182x70.5&#215;277mm. Get the high quality LiFePO4 batteries from  
our assorted range of products. The highly ...



# Liechtenstein ts lfp160aha

Model name LFP160AHA TALL Alternative product mark TS-LFP160AHA, WB-LYP160AHA(A) Nominal voltage 3.2 V Operating voltage under load is 3.0 V Capacity 160 AH +/-5% Operating voltage max 4.0V - min 2.8V At 80% DOD Deep discharge voltage 2.5 V The cells is damaged if voltage drops bellow this level

ts-lfp160aha: 160 ah 182 x 276 x 71 106 m8 1pr4106; ts-lfp160aha wbq-lyp160aha: 209 x 280 x 65 102 m8 1pr4106; ts-lfp200aha: 200 ah 362 x 256 x 55.5 210 m14 1pr5210; wb-lyp200aha(b) 362 x 256 x 55.5 210 m12 1pr6210; ...

MODEL:TSWB-LYP160AHA-A Nominal Capacity: 160AH Operating Voltage: 2.8V~4.0V Weight:5.6kg#177;200g Dimensions:182x70.5#215;277mm. Get the high quality LiFePO4 batteries from our assorted range of products. The highly protected batteries exhibit superior performance with an extended battery life.

Model name LFP160AHA Older product marking TS-LFP160AHA, TS-LYP160AHA Nominal voltage 3.2 V Operating voltage under load is 3.0 V Capacity 160 AH +/- 5% Operating voltage max 4.0V - min 2.8V At 80% DOD Deep discharge voltage 2.5 V The cells is damaged if voltage drops bellow this level Maximal charge voltage 4.0 V The cells is damaged if ...

Thanks for the info! I actually decided to go with the TS UNC 6 inch F4. which is a step above the photon. I own the Skywatcher F4 Aplanatic coma corrector, do you think it's good enough to eliminate coma in an F4? I really hate coma. Link to comment Share on other sites. More sharing options... RodAstro. Posted June 18, 2020. RodAstro.

Spolecnost GWL Group a.s. ukoncila v r#225;mci insolven#237;ho r#237;zen#237; veskerou obchodn#237; cinnost. GWL Group a.s. has terminated all business activities within the insolvency proceedings.

Winston WB-LYP160AHA lithium, li-ion battery LiFeYPO4 3.2V/160Ah,Thundersky TS- LFP160AHA, Thunder Sky TS LYP160AHA cell Nothnagel-Marine-Berlin - Lithium Batterien f#252;r Caravan, Elektroboot u. Yacht - Winston WB-LYP160AHA lithium, li-ion battery LiFeYPO4 3.2V/160Ah,Thundersky TS- LFP160AHA, Thunder Sky TS LYP160AHA cell

LFP160AHA WIDE cell specification Model name LFP160AHA WIDE Alternative marking TS-LFP160AHA, WB-LYP160AHA (B) Nominal voltage 3.2 V Operating voltage under load is 3.0 V Capacity 160 AH +/- 5% Operating voltage max 4.0V - min 2.8V At 80% DOD Deep discharge voltage 2.5 V The cells is damaged if voltage drops bellow this level ...

W S#247;(MODEL)#255; TS-LFP160AHA W S#247;(MODEL)#255; TS-LFP160AHA 5.6kg#177;100g 182mm 2 7 9 m m 2 7 6. 4 m m 71mm 7 0. 6 m m 106mm 3000Times 5000Times 45 3CA 20CA 0.5CA &quot;d200! #247;Y)rLzW #193; R#168;R u5l`" #253; #244;f THUNDER SKY



# Liechtenstein ts lfp160aha

LiFeYPO4 POWER BATTERY SPECIFICATIONS 85 45 85. 130 120 110 100 90 80 70 60 50 40 30 20 10 40Y)

Bezeichnung: LYP160AHA: Alternative Produktkennzeichnung TS-LFP160AHA, TS-LYP160AHA: Normal Spannung: 3.2 V: Unterspannung bei 2.8V: Kapazität: 160AH

TS-LFP160AHA 160Ah 4.25V (Charge) 2.5V (Discharge) &lt;3CA Nominal Capacity Operation Voltage Max Charge Current &lt; 3CA OCA Max Discharge Current (Impulse) k Current Standard Charge/ Discharge Current Cycle Life Temperature Durability Of Case TS-LFP160AHA 182mm 1 06mm 0.3CA (80DOD%) &gt;2000Times (70DOD%) &gt;3000Times &lt;2500C

Winston - Thunder Sky TSWB-LYP160AHA (WB-LYP160AHA) LifePo4 battery cell. Winston - Thunder Sky battery cells have a special chemical composition whose main advantages are a very high safety and a wide temperature range. Thus, unlike most other lithium battery cells, it is possible to charge Winston battery cells even at temperatures below 0 degrees.

Contact us for free full report

Web: <https://ldh.org.pl/contact-us/>

Email: [energystorage2000@gmail.com](mailto:energystorage2000@gmail.com)

WhatsApp: 8613816583346

