

Does grid structure affect PLL synchronization stability?

CONCLUSIONS This paper investigated the impacts of grid structure on the PLL-synchronization stability of multi-converter systems. The stability analysis of a single-converter infinite-bus system demonstrated that the stability margin of PLL-based converters is strongly related to the grid-side admittance.

Does PLL synchronization stability arise from high grid impedance?

The PLL-synchronization stability has been widely analyzed via a single converter connected to an infinite bus, which showed that instabilities may arise under high grid impedance (i.e., weak grid condition) (Huang et al., 2019b).

Which synchronous reference frame-PLL algorithms are used in grid synchronization applications?

In this study, synchronous reference frame-PLL (SRF-PLL) and decoupled double synchronous reference frame-PLL (DDSRF-PLL) which are mostly used, state-of-the-art and effective PLL algorithms are analyzed by modeling in grid synchronization applications.

Is E-PLL a good synchronization technique under non-ideal grid conditions?

The simulation results verify that E-PLL is a very good synchronization technique under non-ideal grid conditions for grid-connected inverter. [View Show abstract](#)

What is grid synchronization?

This technical note presents some of the most common grid synchronization methods for power converters connected to the grid. These different methods allow the power converter to safely inject quality power into the grid, even during disturbed conditions. First, the general principle of grid synchronization is introduced.

What is improved PLL in unbalanced and distorted grid?

This paper proposes improved PLL which gives excellent and almost perfect grid voltage phase angle and frequency in unbalanced and distorted grid. This is achieved by a cascade of finite impulse response filters which eliminates characteristic harmonic components and extracts only fundamental harmonic signal.

The main purpose of grid-synchronization algorithms is to estimate the positive- and negative-sequence components of the utility voltage under unbalanced and distorted condition. The existing most advanced phase-locked loop (PLL) and frequency-locked loop (FLL) methods are well-known methods for grid-synchronization.

Although the FFT-PLL requires one grid period (T_g) to estimate the new phase of the grid voltage under phase jump condition, the proposed LPN-PLL requires a less-than-half grid period ($T_g/2$) time, as shown in Fig. 8, where the voltage at the PCC was set according to the following conditions: 1) normal grid voltage (CASE A) $V_{1a} = V_{1b} = V_{1c} = 1$...

In recent years, grid-tied photovoltaic system has become prominent with its reliability, simplicity, and durability. This paper includes a review of past studies on grid-connected converter synchronization techniques. The basic structure of the phase-locked loop (PLL) with grid synchronization methods for 1-phase and 3-phase is discussed in ...

SUN et al.: SYNCHRONIZATION STABILITY ANALYSIS OF PLL-BASED GRID-CONNECTED VSC SYSTEM BY VOLTAGE SPACE VECTORS 2057 $\text{PCC}_q = R_{gi} q + ! \text{PLL} \text{ }_{gi} d U_g \sin (4)$ From (2) and (4), the second-order dynamic equation of for the synchronization stability analysis in this paper can be obtained as: $M \text{ }_{eq} d^2 dt^2 + D \text{ }_{eq} d dt = T \text{ }_{eq} a T \text{ }_{eq} d (5)$ where ...

A phase-locked loop (PLL) is a popular grid synchronization approach, which needs to sustain power system oscillations as its vulnerability influences the produced reference signal. Traditional ...

This paper focuses on synchronization stability analysis of the power system, in which power electronics are synchronized by the phase-locked loop (PLL). It provides new insight into the synchronization stability of power electronics from the voltage perspective. The synchronization stability analysis based on space vector is carried out by establishing a simplified model of the ...

The performance of the proposed synchronization has been tested under several grid conditions and under several grid disturbances. The proposed MHDC-PLL is an ideal synchronization method for grid-tied inverter applications due to the high immunity against voltage harmonic distortion and the fast dynamic response under grid disturbances. II.

Therefore, grid synchronization algorithms play a vital role for Distributed Power Generation Systems (DPGSs). This paper discusses one of the synchronization strategies that use Phase Locked Loop (PLL) and its various types for synchronization of the grid - ...

In most of the abovementioned PLL-based grid synchronization techniques, the phase angle and frequency are estimated in the same loop. This results in frequency transients due to phase angle variation. This transient will be reflected on the phase variable and can delay the detection and synchronization process. Hence, an efficient method with ...

Abstract: Phase-locked loop (PLL) synchronization instability of grid-connected converters under grid faults is a serious concern, in particular for multiconverter plants/stations ...

Key words: Phase Locked Loop (PLL), symmetrical component extraction, grid synchronization, grid-connected converter, smart grid, Renewable Energy Sources (RES), voltage dip, higher harmonics ...

In this study, synchronous reference frame-PLL (SRF-PLL) and decoupled double synchronous reference frame-PLL (DDSRF-PLL) which are mostly used, state-of-arts and effective PLL algorithms...

In this paper three advanced grid synchronization systems: the Decoupled Double synchronous reference frame PLL (DDSRF PLL) [34], the Dual SOGI PLL (DSOGI PLL) [35] and the Three Phase Enhanced PLL (3phEPLL PLL) [36] will be studied. The analysis will evaluate their performance and reliability on the amplitude and phase detection of the positive

From Fig. 22 (b), when the grid fault removed at $t = 0.728$ s, The VSC system lose the synchronization stability. When the grid fault occurs, the PLL relative angle θ_{pll} gradually increases. The above time domain results show that the CCT of VSC system considering the influence of outer-loop control is $t = 0.728$ s and the ultimate failure ...

During asymmetric faults, the coupling between positive and negative (PN) sequences significantly affects the phase-locked-loop (PLL) synchronization transient stability (PSTS) of a weak-grid connected voltage source converter (WG-VSC). However, little literature is on analyzing the PSTS while considering PN sequence coupling. This article has analyzed the ...

MODELING OF MULTI-CONVERTER SYSTEMS Fig.1 shows a three-phase power converter which applies a PLL for grid synchronization. V_{abc} is the three-phase capacitor voltage of the LCL. I_{Cabc} is the converter-side current. I_{abc} is the current that injected into the ac grid. U_{abc} is the converter's voltage output that determined by the ...

Typically, phase-locked loop (PLL) synchronization techniques are used for the grid voltage monitoring. The design and performance of PLL directly affect the dynamics of the RES grid side converter (GSC). This paper presents the characteristics, design guidelines and features of advanced state-of-the-art PLL-based synchronization algorithms ...

2 Therefore, the study of the PLL dynamics for understanding the grid synchronization mechanism of the DFIG-WTG system is crucial for power system stability assessment.

During grid faults, the grid-connected paralleled converter systems is susceptible to a phase-locked loop (PLL) synchronization transient instability. Most existing studies focus on first-swing transient stability analysis using the equal-area criterion. However, achieving first-swing transient stability does not guarantee overall stability, as the system may ...

positive sequence information for grid synchronization even under grid faulty conditions. In addition, it can be also extended into the single-phase system applications as SSI-PLL because 90-degree phase shift information can be easily obtained. 6 EPLL Enhanced phase-locked loop (EPLL) [22-24] is a

The design and performance of PLL directly affect the dynamics of the RES grid side converter (GSC). This paper presents the characteristics, design guidelines and features ...

robustness, simplicity, and effectiveness in various grid conditions. PLL is widely used in grid synchronization. (1) Basics of PLL The PLL is a nonlinear closed-loop feedback control system that synchronizes the output signal with the input signal phase and frequency [31-33]. As shown in

This paper reviews some of the highest performance algorithms for grid synchronization: phase locked loops (PLL), schemes based on synchronous reference frames (SRF) and digital filtering and finally, stochastic filtering based methods. The pros and cons of each one are assessed and some interesting techniques to enhance the dynamics are provided.

1) The dynamic stability: grid-synchronization is a critical stability issue in the weak grid-connected converters due to the interaction of the PLL with the current controller when the grid

synchronization between grid-interfaced converters and the utility network. An ideal PLL can provide the fast and accurate synchronization information with a high degree of immunity and ...

Contact us for free full report

Web: <https://ldh.org.pl/contact-us/>

Email: energystorage2000@gmail.com

WhatsApp: 8613816583346

